

**Updated 9/11/09**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

| Company Name<br>(Website)                             | Model Name                       | Model Number    | Fuel Type  | Energy Efficiency (%) | Idle Energy Rate (Btu/h) | Water Use (gph) | Additional Models Represented |
|---|----------------------------------|-----------------|------------|-----------------------|--------------------------|-----------------|-------------------------------|
| <b>Alto-Shaam</b><br>(www.alto-shaam.com)             | <b>Combitherm</b>                | <b>ML7-14</b>   | <b>Gas</b> | <b>54%</b>            | <b>15,700</b>            | <b>19.0</b>     | 6-10ESG                       |
|   |                                  |                 |            |                       |                          |                 | 7-14GASML                     |
|   |                                  |                 |            |                       |                          |                 | 7-14ESG                       |
|   |                                  |                 |            |                       |                          |                 | 7-14ML                        |
|   |                                  |                 |            |                       |                          |                 | 10-10ESG                      |
|   |                                  |                 |            |                       |                          |                 | 10-20ESG                      |
|   |                                  |                 |            |                       |                          |                 | 12-18ESG                      |
| 20-20ESG  |                                  |                 |            |                       |                          |                 |                               |
| <b>Blodgett</b><br>(www.blodgett.com)                 | <b>Blodgett</b>                  | <b>BCX-14G</b>  | <b>Gas</b> | <b>40%</b>            | <b>35,666</b>            | <b>1.5</b>      | -                             |
|   |                                  | <b>BX-14G</b>   | <b>Gas</b> | <b>51%</b>            | <b>13,480</b>            | <b>0.5</b>      |                               |
| <b>Cleveland</b><br>(www.clevelandrange.com)          | <b>Convotherm with Generator</b> | <b>OGB-6.20</b> | <b>Gas</b> | <b>67%</b>            | <b>4,562</b>             | <b>18.3</b>     | OGB-6.10                      |
|   |                                  |                 |            |                       |                          |                 | OGB-10.10                     |
|   |                                  |                 |            |                       |                          |                 | OGB-10.20                     |
|   |                                  |                 |            |                       |                          |                 | OGB-12.20                     |
|   |                                  |                 |            |                       |                          |                 | OGB-20.10                     |
|   | OGB-20.20                        |                 |            |                       |                          |                 |                               |
|   | <b>Convotherm Boilerless</b>     | <b>OGS-6.20</b> | <b>Gas</b> | <b>49%</b>            | <b>10,530</b>            | <b>18.3</b>     | OGS-6.10                      |
|   |                                  |                 |            |                       |                          |                 | OGS-10.10                     |
|   |                                  |                 |            |                       |                          |                 | OGS-10.20                     |
|   |                                  |                 |            |                       |                          |                 | OGS-12.20                     |
| OGS-20.10   |                                  |                 |            |                       |                          |                 |                               |
| OGS-20.20   |                                  |                 |            |                       |                          |                 |                               |
| <b>Electrolux</b><br>(professional.electroluxusa.com) | <b>Air-O-Steam</b>               | <b>O 260148</b> | <b>Gas</b> | <b>45%</b>            | <b>16,456</b>            | <b>26.6</b>     | O 260149                      |
|   |                                  |                 |            |                       |                          |                 | O 260150                      |
|   |                                  |                 |            |                       |                          |                 | O 260151                      |
|   |                                  |                 |            |                       |                          |                 | O 260152                      |
| <b>Eloma</b><br>(www.eloma.com)                       | <b>Genius</b>                    | <b>T 611</b>    | <b>Gas</b> | <b>50%</b>            | <b>N/A</b>               | <b>0.8</b>      | T 1011                        |
|   |                                  |                 |            |                       |                          |                 | T 12-21                       |
|   |                                  |                 |            |                       |                          |                 | T 2011                        |
|   |                                  |                 |            |                       |                          |                 | T 2022                        |

Note: Data based on applying ASTM F1639-revised July 2008

\*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

**Updated 9/11/09**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

| Company Name<br>(Website)                      | Model Name                | Model Number   | Fuel Type  | Energy Efficiency (%) | Idle Energy Rate (Btu/h) | Water Use (gph) | Additional Models Represented |
|--|---------------------------|----------------|------------|-----------------------|--------------------------|-----------------|-------------------------------|
| <b>Henny Penny</b><br>(www.hennypenny.com)     | <b>ClassicCombi</b>       | <b>GCC-61</b>  | <b>Gas</b> | <b>56%</b>            | <b>10,176</b>            | <b>4.5</b>      | GCC-11                        |
|  |                           |                |            |                       |                          |                 | GCC-12                        |
|  |                           |                |            |                       |                          |                 | GCC-21                        |
|  |                           |                |            |                       |                          |                 | GCC-22                        |
|  |                           |                |            |                       |                          |                 | GCC-62                        |
|  | <b>SmartCombi</b>         | <b>GSC-61</b>  | <b>Gas</b> | <b>53%</b>            | <b>12,285</b>            | <b>5.7</b>      | GSC-11                        |
|  |                           |                |            |                       |                          |                 | GSC-12                        |
|  |                           |                |            |                       |                          |                 | GSC-21                        |
|  |                           |                |            |                       |                          |                 | GSC-22                        |
|  |                           |                |            |                       |                          |                 | GSC-62                        |
| <b>Lainox</b><br>(www.lainox.com)              | <b>The Cube</b>           | <b>MG 102</b>  | <b>Gas</b> | <b>45%</b>            | <b>80,813</b>            | <b>17.5</b>     | MG 061                        |
|  |                           |                |            |                       |                          |                 | MG 101                        |
|  |                           |                |            |                       |                          |                 | MG 201                        |
|  |                           |                |            |                       |                          |                 | MG 202                        |
| <b>Piper Products</b><br>(www.piperonline.net) | <b>Chef System</b>        | <b>MG 102</b>  | <b>Gas</b> | <b>45%</b>            | <b>80,813</b>            | <b>17.5</b>     | MG 061                        |
|  |                           |                |            |                       |                          |                 | MG 101                        |
|  |                           |                |            |                       |                          |                 | MG 201                        |
|  |                           |                |            |                       |                          |                 | MG 202                        |
| <b>Rational</b><br>(www.rationalusa.com)       | <b>SelfCooking Center</b> | <b>SCC 62G</b> | <b>Gas</b> | <b>50%</b>            | <b>34,260</b>            | <b>19.8</b>     | SCC 61G                       |
|  |                           |                |            |                       |                          |                 | SCC 101G                      |
|  |                           |                |            |                       |                          |                 | SCC 102G                      |
|  |                           |                |            |                       |                          |                 | SCC 201G                      |
|  |                           |                |            |                       |                          |                 | SCC 202G                      |

Note: Data based on applying ASTM F1639-revised July 2008

\*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

**Updated 9/11/09**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

| Company Name<br>(Website)                    | Model Name                          | Model Number    | Fuel Type       | Energy Efficiency (%) | Idle Energy Rate (kW) | Water Use (gph) | Additional Models Represented              |                     |                    |                 |            |             |            |        |
|--|-------------------------------------|-----------------|-----------------|-----------------------|-----------------------|-----------------|--|---------------------|--------------------|-----------------|------------|-------------|------------|--------|
| <b>Alto-Shaam</b><br>(www.alto-shaam.com)    | <b>Combitherm</b><br>(with Boiler)  | <b>7-14ES</b>   | <b>Electric</b> | <b>79%</b>            | <b>1.90</b>           | <b>17.8</b>     | 6-10ES                                     |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 10-10ES                                    |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 10-20ES                                    |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 12-18ES                                    |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 12-20ES                                    |                     |                    |                 |            |             |            |        |
|  | <b>Combitherm</b><br>(Boiler-Free)  | <b>7-14ESI</b>  | <b>Electric</b> | <b>82%</b>            | <b>1.84</b>           | <b>10.3</b>     | 6-10ESI                                    |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 10-10ESI                                   |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 10-18ESI                                   |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 12-20ESI                                   |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 20-20ESI                                   |                     |                    |                 |            |             |            |        |
| <b>Blodgett</b><br>(www.blodgett.com)        | <b>Blodgett</b>                     | <b>BCX-14E</b>  | <b>Electric</b> | <b>63%</b>            | <b>6.40</b>           | <b>3.6</b>      | -  |                     |                    |                 |            |             |            |        |
|  |                                     | <b>BX-14E</b>   | <b>Electric</b> | <b>72%</b>            | <b>3.30</b>           | <b>1.7</b>      | -  |                     |                    |                 |            |             |            |        |
| <b>BKI</b><br>(www.bkideas.com)              | -                                   | <b>1.06</b>     | <b>Electric</b> | <b>70%</b>            | <b>2.00</b>           | <b>0.5</b>      | 1.10                                       |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 2.10                                       |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | 2.14                                       |                     |                    |                 |            |             |            |        |
| <b>Cadco</b><br>(www.cadco-ltd.com)          | -                                   | <b>CAPO-603</b> | <b>Electric</b> | <b>70%</b>            | <b>3.70</b>           | <b>0.9</b>      | -  |                     |                    |                 |            |             |            |        |
| <b>Cleveland</b><br>(www.clevelandrange.com) | <b>Convotherm</b><br>with Generator | <b>OEB-6.20</b> | <b>Electric</b> | <b>69%</b>            | <b>1.90</b>           | <b>11.1</b>     | OEB-6.10                                   |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OEB-10.10                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OEB-10.20                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OEB-12.20                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OEB-20.10                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OEB-20.20                                  |                     |                    |                 |            |             |            |        |
|  | <b>Convotherm</b><br>Boilerless     | <b>OES-6.20</b> | <b>Electric</b> | <b>61%</b>            | <b>2.90</b>           | <b>4.9</b>      | OES-6.10                                   |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OES-10.10                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OES-10.20                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OES-12.20                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OES-20.10                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | OES-20.20                                  |                     |                    |                 |            |             |            |        |
|  |                                     |                 |                 |                       |                       |                 | <b>Eloma</b><br>(www.eloma.com)            | <b>Genius</b>       | <b>Genius 6-11</b> | <b>Electric</b> | <b>74%</b> | <b>4.60</b> | <b>9.8</b> | -      |
|  |                                     |                 |                 |                       |                       |                 | <b>Henny Penny</b><br>(www.hennypenny.com) | <b>ClassicCombi</b> | <b>ECC-61</b>      | <b>Electric</b> | <b>82%</b> | <b>3.10</b> | <b>2.1</b> | ECC-11 |
| ECC-12                                       |                                     |                 |                 |                       |                       |                 |  |                     |                    |                 |            |             |            |        |
| ECC-21                                       |                                     |                 |                 |                       |                       |                 |  |                     |                    |                 |            |             |            |        |
| ECC-22                                       |                                     |                 |                 |                       |                       |                 |  |                     |                    |                 |            |             |            |        |
| ECC-62                                       |                                     |                 |                 |                       |                       |                 |  |                     |                    |                 |            |             |            |        |

Note: Data based on applying ASTM F1639-revised July 2008

\*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

**Updated 9/11/09**

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

| Company Name<br>(Website)                  | Model Name                | Model Number   | Fuel Type       | Energy Efficiency (%) | Idle Energy Rate (kW) | Water Use (gph) | Additional Models Represented |
|--|---------------------------|----------------|-----------------|-----------------------|-----------------------|-----------------|-------------------------------|
| <b>Henny Penny</b><br>(www.hennypenny.com) | <b>SmartCombi</b>         | <b>ESC-61</b>  | <b>Electric</b> | <b>66%</b>            | <b>3.10</b>           | <b>1.8</b>      | ESC-11                        |
|  |                           |                |                 |                       |                       |                 | ESC-12                        |
|  |                           |                |                 |                       |                       |                 | ESC-21                        |
|  |                           |                |                 |                       |                       |                 | ESC-22                        |
|  |                           |                |                 |                       |                       |                 | ESC-62                        |
| <b>Hobart</b><br>(www.hobartcorp.com)      | -                         | <b>CE6HD</b>   | <b>Electric</b> | <b>69%</b>            | <b>5.80</b>           | <b>3.6</b>      | CE10HD                        |
|  |                           |                |                 |                       |                       |                 | CE10FD                        |
|  |                           |                |                 |                       |                       |                 | CE20HD                        |
|  |                           |                |                 |                       |                       |                 | CE20FD                        |
| <b>Rational</b><br>(www.rationalusa.com)   | <b>SelfCooking Center</b> | <b>SCC 62E</b> | <b>Electric</b> | <b>67%</b>            | <b>N/A</b>            | <b>11.7</b>     | SCC 61E                       |
|  |                           |                |                 |                       |                       |                 | SCC 101E                      |
|  |                           |                |                 |                       |                       |                 | SCC 102E                      |
|  |                           |                |                 |                       |                       |                 | SCC 201E                      |
|  |                           |                |                 |                       |                       |                 | SCC 202E                      |

Note: Data based on applying ASTM F1639-revised July 2008

\*Type based on ASTM Standard Specification F1495

N/A = Data Not Available